

Effective Date  
October 9, 2023

**CHENAL VALLEY**  
**RESIDENTIAL DESIGN GUIDELINES**

**Purpose of Document..... Page 3**

**1.0 General Guidelines..... Page 3**

    1.1 Statement of theme/philosophy ..... Page 3

    1.2 Community goals and objectives ..... Page 3

    1.3 Amendments . ..... Page 4

**2.0 The Architectural Control Committee ..... Page 4**

    2.1 Purpose..... Page 4

    2.2 Members ..... Page 4

    2.3 Committee meetings . ..... Page 4

**3.0 Review Procedures..... Page 5**

    3.1 Plan submission and approval ..... Page 5

    3.2 Plan requirements ..... Page 5

    3.3 Changes during construction ..... Page 6

**4.0 Enforcement .... Page 6**

    4.1 Authority of the Architectural Control Committee .... Page 6

    4.2 Enforcement procedures ..... Page 6

**5.0 Unique Community Elements ..... Page 6**

    5.1 Designated green areas ..... Page 6

    5.2 Jogging trails . ..... Page 7

**6.0 General Requirements. .... Page 7**

    6.1 Construction traffic ... Page 7

    6.2 Temporary facilities .. Page 7

    6.3 Maintenance... Page 7

6.4 Erosion and sedimentation control .....	Page 7
6.5 Utilities.....	Page 7
6.6 Signs.....	Page 7
6.7 Mailboxes.....	Page 7
6.8 Trash collection .....	Page 7
6.9 Satellite dish.....	Page 8
6.10 Fences .....	Page 8
<b>7.0 Specific Lot Requirements .....</b>	<b>Page 8</b>
7.1 Clearing and grading.....	Page 8
7.2 Tree preservation .....	Page 8
7.3 Landscaping .....	Page 8
7.4 Exterior accessory structures .....	Page 9
7.5 Driveways .....	Page 9
<b>8.0 Residential Building Requirements .....</b>	<b>Page 9</b>
8.1 Minimum square footage requirements .....	Page 9
8.2 Colors and textures .....	Page 9
8.3 Exterior building materials .....	Page 9
8.4 Roofs.....	Page 10
8.5 Construction Hours.....	Page 10
8.6 Miscellaneous .....	Page 10
<b>Appendix.....</b>	<b>Page 11</b>
A. Neighborhood/Subdivision Building Requirements .....	Page 11
B. Architectural Control Committee application form .....	Page 25
C. Notes - Chenal Valley .....	Page 26
D. Checklist for Plan Approval - Chenal Valley .....	Page 29

# **CHENAL VALLEY ARCHITECTURAL CONTROL COMMITTEE GUIDELINES**

## **PURPOSE OF THIS DOCUMENT**

This design guidelines manual has been created to describe the design criteria and approval process for the Chenal Valley community. It is intended for the use of owners, architects, builders and contractors to assist in the design and construction of improvements in this community and to describe the systematic review process for all projects.

## **1.0 GENERAL GUIDELINES**

**1.1 Statement of Theme/Philosophy for Chenal Valley.** When the designers began planning development of the Chenal Valley property, they realized that the inherent beauty of this development should be preserved to make this new community a very special place. The development derives its beauty from its gently rolling topography, mature hardwood forests, lakes, ponds and the two championship Chenal Golf Courses and Country Club.

The challenge to the development team was to develop a uniquely planned community, which would preserve to the greatest extent possible, the natural environment of this site. To that end, many innovative land planning and engineering techniques were employed at Chenal Valley. The street system in Chenal Valley was designed around trees and other natural features, resulting in reduced grading requirements and increased preservation of existing vegetation. A community-wide storm water management system was developed by creation of additional lakes on the site, thereby protecting water quality in streams and lakes downstream from the area. Buffers around natural drainage ways were established to aid further in storm water runoff control.

Some of the grandest homes in and around the Chenal Golf Courses will be designed and built by architects and master builders on the estate-sized lots. It is the goal of the developer, the Property Owners Associations, builders and the residents of Chenal Valley to preserve the character created for this special community.

**1.2 Community Goals and Objectives.** The Architectural Control Committee's goal is to encourage appropriate architectural design, which blends with the surroundings of Chenal Valley and is sensitive to environmental factors. New construction should reinforce this community's identity and should contribute to the beauty and harmony of the community. The highest quality in design, materials and workmanship should be evident in all construction in Chenal Valley.

To preserve the values and character of Chenal Valley, design guidelines have been established. The design objectives described in the guidelines will support the community goal of maintaining a unique and environmentally sensitive community. Generally, the guidelines require that buildings be

unobtrusive in form and color and complementary to their natural setting. This philosophy will support the creation of a homogeneous community in a natural setting free from discordant architectural styles and obtrusive colors. The guidelines require that each building be treated not as an individual architectural entity, arbitrarily placed on its lot, but rather as a carefully planned addition to the community setting. To preserve the overall character of the community, the architectural controls for Chenal Valley extend beyond the building walls to include the entire site.

**1.3 Amendments.** From time to time, the Chenal Valley Architectural Control Committee may deem amendments to the design guidelines necessary. Such amendments, if approved by the Committee, will not affect covenanted standards for lots previously recorded. Suggestions and recommendations for amendments from all sources are welcome, and each suggestion will be given appropriate consideration by the Architectural Control Committee. The Property Owners' Association documents describe the procedure for adopting amendments.

## **2.0 ARCHITECTURAL CONTROL COMMITTEE**

**2.1 Purpose.** The purpose of the Chenal Valley Architectural Control Committee is to review and approve plans for new construction and additions. Committee approval of plans is based on aesthetic consideration and compatibility with the environment and the community.

**2.2 Members.** The Architectural Control Committee consists of at least three members appointed pursuant to the provisions of the Declaration of Covenants and Restrictions of Chenal Valley filed November 22, 1989 in the Office of the Circuit Clerk of Pulaski County, Arkansas, and any and all amendments thereto.

Members eligible for appointment to the Committee may include members of the development team, homeowners and builders. Current members are:

1. Tom Russell, Chairman
2. Joe White, Jr.
3. David Sargent
4. Jack Larrison

Members are appointed by the owner/developer and serve a term of one year.

**2.3 Committee Meetings.** The Architectural Control Committee holds regular meetings twice monthly on the first and third Wednesdays at 12:00 noon at the office of Chenal Properties, Inc. Such meetings may be canceled or rescheduled by the Developer.

Should the time and place of the regularly scheduled meetings change all current prospective home builders with applications pending will be notified accordingly by telephone or in writing as soon as possible before the regular meeting date.

During the active development period, prospective homebuilders may, by contacting Chenal Properties, Inc., request a special meeting of the Architectural Control Committee to review plans. Such requests should be limited to cases in which construction schedules would be delayed by waiting for the regularly scheduled meetings.

### **3.0 REVIEW PROCEDURES**

**3.1 Plan Submission and Approval.** Two complete sets of construction plans shall be submitted along with the application for approval of residential construction (Appendix B). Applicants' plans, application, and specifications must be delivered to the Chenal Properties Sales office no later than 4:00 p.m. on the Monday preceding the next scheduled Architectural Control Committee meeting. The plans and application will be reviewed at the next regular meeting of the Committee. The applicant will receive written notification of the review within 30 days. One set of approved plans will be retained in the files of the Architectural Control Committee. If the applicant's plans are not approved, written notice indicating the reason for denial will be given. If an application is denied, the applicant may request a meeting with a member or members of the Architectural Control Committee to discuss design changes that may lead to Committee approval. If the Architectural Control Committee fails to approve, disapprove, or reject as inadequate proposed plans and specifications within sixty (60) days after proper written submittal, they shall be deemed rejected. All applications and plans approved by the Architectural Control Committee are valid for 24 months.

**3.2 Plan Requirements.** All plans submitted to the Architectural Control Committee for review must include the following information:

1. A site/plot plan at a scale of 1" equals 20' or larger showing:
  - \* existing elevations at corners of lot
  - \* streets
  - \* wooded areas
  - \* building footprint
  - \* driveways
  - \* swimming pools
  - \* walls (retaining) and screens
  - \* terraces and decks
  - \* parking areas
  - \* walks
  - \* any other accessory uses
  - \* property lines
  - \* utility easements
  - \* areas of cut and fill
  - \* fences
  
2. A floor plan showing major dimensions and openings at a scale of 1/4" equals 1' or larger.
  
3. Elevation plans (1/4" or larger) showing the proposed building indicating mass, shape and major exterior materials, colors, wall sections. Elevations, floor to floor heights and roof pitch are

required for all sides. Elevations must indicate actual house on proposed site. Include a typical wall section with plans.

4. A foundation plan at a scale of 1/8" equals 1' or larger.

5. A roof plan at a scale of 1/8" equals 1' or larger or overlay roof plan on floor plan.

6. Landscape plan, at a scale of 1" equals 10' or larger, showing proposed planting areas with plant sizes, names and quantities. Fences, railings, accessory buildings, and structures are required to have elevations at a scale of 1/8" equals 1' or larger.

**3.3 Changes During Construction.** If changes to an approved plan become necessary during construction, a request indicating the change or changes shall be submitted to the Architectural Control Committee. The review process for changes will be the same as that for initial plan approvals. The applicant will be notified of the Committee's decision within 10 working days after the Committee meeting date.

The chairperson of the Architectural Control Committee rather than a meeting of the full Committee may approve minor changes. The Chairperson shall determine if a change is minor and shall notify the applicant of the approval or disapproval of the change within ten working days after meeting with the applicant.

## **4.0 ENFORCEMENT**

**4.1 Authority of the Architectural Control Committee.** The Architectural Control Committee is authorized by the Property Owners' Association to approve or disapprove all plans for new construction, remodeling or additions in Chenal Valley. The Committee reserves the right to disapprove a plan for purely aesthetic reasons.

**4.2 Enforcement Procedures.** The design guidelines and covenants are administered to accommodate individual tastes and to encourage design flexibility. However, in the event of construction, which, in the opinion of the Architectural Control Committee, abuses the standards or covenants, the Committee will recommend legal enforcement. The Architectural Control Committee shall have the right to enforce, by any legal means, all restrictions, conditions, reservations and requirements imposed by the provisions of these architectural guidelines.

## **5.0 UNIQUE COMMUNITY ELEMENTS**

**5.1 Designated Green Areas And Tracts.** These areas are recorded on the final subdivision plats and are to be controlled and maintained by the Chenal Valley Property Owners Association. The lot owner may not alter or construct inside these designated green areas and tracts. Requests to landscape or otherwise modify a designated green area or tract should be submitted in writing to the chairperson of the Chenal Valley Property Owners Association.

**5.2 Walking/Jogging Trails.** These trails are designed within the designated green areas and tracts and will network with sidewalks along the collector streets. The primary purpose of these trails will be for pedestrian traffic. All motorized traffic is prohibited.

## **6.0 GENERAL REQUIREMENTS**

**6.1 Construction Traffic.** During the active development period, a construction road may be provided to accommodate construction traffic through the individual neighborhoods of Chenal Valley. After the active development period, the developer will determine the most satisfactory routing for construction traffic.

**6.2 Temporary Facilities.** During construction, temporary offices, storage sheds, portable toilets, trailers, parking areas, access roads, fences, etc. must be located as inconspicuously as possible on the lots and should not block any roadways. Temporary construction facilities shall be removed promptly when they are no longer required.

**6.3 Maintenance.** Each owner, builder and/or occupant of a site shall maintain buildings, improvements, landscaping and grounds in a safe, clean, orderly condition, free of any accumulation of rubbish, trash or litter. Waste containers are required on all sites.

**6.4 Erosion and Sedimentation Control.** Prior to grading on any lot, the necessary sedimentation and erosion control measures shall be in place. It is the responsibility and required of each owner/builder to provide silt fencing around all graded areas on the down slope side of the lot. Local, state and federal sedimentation and erosion control codes shall be followed throughout the construction period.

**6.5 Utilities.** No permanent water, sewer, gas, electric, telephone, cable TV or other service line shall be constructed, placed or maintained within the Chenal Valley community unless it is placed in underground conduits or cables and buried or otherwise concealed. No facility for alternative sources of energy (solar, wind, bio-mass, or other) or TV or other signal reception device (antenna, dish) shall be erected without the consent of the Architectural Control Committee. All utility construction must meet State and local codes.

**6.6 Signs.** The sign system for the entrance, amenity areas and streetscape in Chenal Valley has been carefully coordinated. Therefore, no signs may be erected on any lot or common area without the approval of the Architectural Control Committee. All commercial developments must submit signage design for approval.

This restriction includes lot number signs, financing, signs, real estate sales signs and builder/contractor identification signs.

**6.7 Mailboxes.** All mail and newspaper vaults must meet Architectural Control Committee approval. Some neighborhoods may require a preapproved mailbox. (Review Appendix A)

**6.8 Trash Collection.** The City of Little Rock Sanitation Department will pick up trash

containers at each residence. Placement of trash receptacles on the streets for collection is required.

**6.9 Satellite Dish/ Roof Panels.** The typical 18" satellite dish is allowed with the following: 1) It be installed a min. 25' back from the front elevation of the home if mounted on the roof or the building. On roof installations, it is encouraged to be behind the ridgeline. 2) Rear yard locations mounted on stakes the overall height must be below 5'. Note: All installations must not be visible from the front street/or both streets if a corner lot. All other attachments to roofs, including solar panels, must be approved on a case-by-case basis.

**6.10 Fences.** In general, fencing will be reviewed on a case-by-case basis and shall be allowed only where a specific functional or aesthetic purpose is achieved. The Architectural Control Committee must approve all fencing. Woven metal or chain link fencing is prohibited. Limited wrought iron fencing on golf course lots will be considered on a case-by-case basis. Fencing shall comply with local and State codes. The Committee has adopted a minimum fence standard for lots backing to Chenal Parkway, neighborhood, collector, and arterial streets.

**Wood.** Corner lots are required to have the friendly side of the fence facing the street with cap and trim boards along the top of the fence. All wood fence sections facing any street frontage are required to have a cap and trim with the friendly side facing out. A boxed column is required on the frontage sections at the outside corners. If two fence sections meet on a property line, then only one boxed column is required. The same will be required where the rear yard backs up to a road. **Iron or Metal:** Golf course lots must use iron type fencing. Some golf course lots will not be allowed to fence the entire back property. **Note:** When replacing or upgrading 25 percent or greater of an existing fence the above standards must be met.

## 7.0 SPECIFIC LOT REQUIREMENTS

**7.1 Clearing and Grading.** To preserve the natural beauty of Chenal Valley, excessive clearing and grading should be limited on any lot. Deep cuts and excessive fill areas are discouraged. Debris from clearing and grubbing operations shall be removed promptly from the site. On-site burning in clearing and grubbing operations is prohibited in residential neighborhoods. Grading should be accomplished in a manner which will prevent ponding or soil erosion on the site or on adjacent property. The builder must comply with local codes.

**7.2 Tree Preservation.** To maintain the natural beauty of Chenal Valley, existing vegetation is encouraged to be preserved as much as possible. No trees shall be removed or destroyed on any lot prior to approval of construction plans by the Architectural Control Committee. Trees, which are preserved, shall be protected to the greatest extent practical from damage during building construction. Barricades or fencing are strongly recommended to prevent root compaction. Placement of dirt stockpiles or construction materials under the tree canopy is discouraged. Trees, which do become damaged during building construction, should be treated as soon as possible.

**7.3 Landscaping.** In keeping with the Chenal Valley development goal to preserve the natural character of the area, all installed plant materials and other landscape elements should harmonize with the existing natural setting. Maintenance of lots in their natural state, with lawn areas developed in and around existing vegetation is encouraged. Landscape plans should provide screening for garage



entrances, parking areas, and other service areas visible from the street or adjacent lots. The builder or landscape contractor shall guarantee all new trees and shrubs to remain healthy for a period of 12 months from date of planting. The minimum planting must be installed at the time of occupancy of the home. Minimum plant sizes to be 3-5 gallons for shrubs, 10'-12' for shade trees, 8'-10' for ornamental trees and solid sod front and side yard. A foundation planting bed is required along the front elevation of the home with a minimum of (1) shrub per 5 linear feet of frontage. (Example: width of front of home including garage is 70'-0", 70 divided by 5 = 14 shrubs). For front yards that do not have (2) existing trees 5" in caliper or larger – (2) new trees are required. Planting beds must be edged and covered with bark mulch or an approved material. Irrigation is recommended for all homes.

**7.4 Exterior Accessory Structures.** The Architectural Control Committee must approve all exterior accessory structures such as fences, decks, arbors, play systems, walls and lights. For new construction, these structures must be shown on the applicant's construction plans. For additions or renovations, applications and plans shall be submitted to the Architectural Control Committee according to the same process used for new construction approval. Fencing and any other accessory structures shall comply with local and State codes.

**7.5 Driveways.** To reinforce the quality of Chenal Valley, the use of paving stones, asphalt and brick paving in driveways is encouraged. All driveways must be sawcut at street curb. Some neighborhoods require additional details on driveway aprons. These neighborhoods should be confirmed with developer. Driveway placement, design and paving material are subject to the approval of the Architectural Control Committee.

No fence, wall, hedge, shrub, exterior light or grade, which may obstruct vehicular sight distance, shall be permitted at any driveway where it connects to the street.

Screening of electric transformers, utility pedestals and irrigation RPZ backflows is required. Architectural Control Committee must approve yard ornaments. Berming of front yards must be approved.

## **8.0 RESIDENTIAL BUILDING REQUIREMENTS**

**8.1 Minimum Square Footage Requirements.** The minimum square footage requirements will be established by the subdivision documents filed with each neighborhood or commercial area.

**8.2 Colors and Textures.** In keeping with the Chenal Valley's neighborhood of compatible architectural styles, materials and colors which blend harmoniously with the natural setting, obtrusive or inappropriate colors and textures which would draw attention to specific buildings or structures shall not be allowed. Information regarding colors and textures for all construction is required on the application submitted to the Architectural Control Committee. The Committee shall determine the appropriateness of colors and textures for all construction.

**8.3 Exterior Building Materials.** Exterior veneer of brick or stone is encouraged in Chenal

Valley. The use of metal, steel or vinyl siding will be allowed in certain neighborhoods for soffit/fascia, friezeboard and dormers. Vinyl windows are limited to certain neighborhoods. These neighborhoods are available from the Developer upon request. Exposed concrete blocks, prefabricated metal buildings, simulated brick or stone, unnatural brick tones and bright aluminum windows and doors will not be permitted unless specifically approved by the Architectural Control Committee. Certain neighborhoods will be limited to wood or wood clad windows. These neighborhoods will be determined by the Developer and amended as necessary. Metal buildings are not allowed.

**8.4 Roofs.** No flat roofs shall be allowed without specific permission from the Architectural Control Committee. Roofs shall be finished with materials harmonious with the surroundings and of a complimentary color. Dimensional or textured (architectural) shingles are the minimum standard for roof finishes. Metal roofs will be considered on a case-by-case basis.

**8.5 Construction Hours.** Refer to the City of Little Rock code of ordinances. Construction work is discouraged on Sundays.

**8.6 Miscellaneous.** Damage to and restoration of the sidewalks, streetlights, etc. is the responsibility of the property owner during construction.

Radio and construction noises shall not interfere with the peace of nearby residents.

**Appendix A**  
**Neighborhood/Subdivision Building Requirements**

**Aberdeen Court**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood Recommended or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit or Wood Based or Hardi Plank
<i>Minimum Square Feet:</i>	One Level: 1,800      Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Aberdeen Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Vinyl
<i>Mailboxes:</i>	Brick or Metal

**Abington Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl – see notes.
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit recommended
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Abington Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product (brick larger than Queen size must be preapproved.)
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood, Masonry or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Hardie or Metal Product
<i>Mailboxes:</i>	Neighborhood Kiosk – provided by developer.

**Accadia Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,600      Multi-Level: 3,000
<i>Setbacks:</i>	Refer to Accadia Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **The Arbors**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,000      Multi-Level: 2,600 10 ft. ceilings, first floor
<i>Setbacks:</i>	Refer to The Arbors Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Board
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Provided by Developer
<i>Fences:</i>	Wood not allowed unless specifically approved.

## **Avignon Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,000      Multi-Level: 2,500
<i>Setbacks:</i>	Refer to Avignon Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Bascom Place**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood Recommended or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Recommended
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600 Block 7 & 8 One Level: 1,800      Multi-Level: 2,200 Block 9
<i>Setbacks:</i>	Refer to Bascom Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood, Masonry or Vinyl
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Bayonne Place**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Bayonne Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia, Frieze Board</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Brick or Metal

## **Bretagne Court**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 3,000      Multi-Level: 3,800
<i>Setbacks:</i>	Refer to Bretagne Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Bronte' Court**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800      Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Bronte Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Mel Northey 1018A, 1018BP, 5518A, 5518B

## **Calion Court**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800    Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Calion Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product, Prefinished Metal or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Masonry, or Prefinished Metal
<i>Mailboxes:</i>	Neighborhood Kiosk - provided by developer.

## **Caurel Court**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800    Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Caurel Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Masonry, or Prefinished Metal
<i>Mailboxes:</i>	Neighborhood Kiosk - provided by developer.

## **Chalamont Place**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800    Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Chalamont Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Masonry or Metal
<i>Mailboxes:</i>	Mel Northey 1018A, 1018BP, 5518A, 5518B

## **Challain Place**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800    Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Challain Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Mel Northey 1018A, 1018BP, 5518A, 5518B

## **Champagnolle Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit required
<i>Minimum Square Feet:</i>	One Level: 2,600    Multi-Level: 3,000
<i>Setbacks:</i>	Refer to Champagnolle Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Chemin Court**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800    Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Chemin Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Mel Northey 1018A, 1018BP, 5518A, 5518B

## **Chenal Circle**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit required
<i>Minimum Square Feet:</i>	
Interior Lots	One Level: 2,800      Multi-Level: 3,600
Exterior Lots	One Level: 3,000      Multi-Level: 3,800
<i>Setbacks:</i>	Refer to Chenal Circle Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Corlay Court**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800      Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Corlay Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Masonry or Metal
<i>Mailboxes:</i>	Neighborhood Kiosk -provided by developer.

## **The Courts**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Approved Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to The Courts Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Brick, Metal or Stone



## **Deauville Place**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,800      Multi-Level: 3,800
<i>Setbacks:</i>	Refer to Deauville Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **DuClair Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 1,800      Multi-level: 2,000
<i>Setbacks:</i>	Refer to DuClair Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **DuQuesne Place**

<i>Roof Pitch:</i>	8/12 Minimum - One-Level & 6/12 Minimum - Multi-Level
<i>Windows:</i>	Wood, Wood Clad, Approved Aluminum or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Recommended Approved Vinyl
<i>Minimum Square Feet:</i>	One Level: 1,600      Multi-level: 2,000
<i>Setbacks:</i>	Refer to DuQuesne Place Bill of Assurance
<i>Siding:</i>	100% foundation brick or stone unless approved by ACC. House preapproved wood or vinyl
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Mel Northey 1018A, 1018BP, 5518A, 5518B

## **Ensbury Place**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl – see notes.
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit recommended
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Ensbury Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product (brick larger than Queen size must be preapproved.)
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood or Vinyl Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Epernay Place**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800      Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Epernay Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Mel Northey 1018A, 1018BP, 5518A, 5518B (An approved equal will be considered by the ACC).

## **The Estates**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 3,000      Multi-Level: 3,800
<i>Setbacks:</i>	Refer to The Estates Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Falstone Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl – see notes.
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit recommended
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Falstone Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product (brick larger than Queen size must be preapproved.)
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Masonry or Metal Product
<i>Mailboxes:</i>	Neighborhood Kiosk - provided by developer.

## **Fontenay Circle**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,600      Multi-Level: 3,000
<i>Setbacks:</i>	Refer to Fontenay Circle Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Germay Court**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,800      Multi-Level: 3,800
<i>Setbacks:</i>	Refer to Germay Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Hallen Court**

<i>Roof Pitch:</i>	10/12 Minimum or individually approved by the Architectural Control Committee based on the homes architectural design.
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,000      Multi-Level: 2,600 10 ft. ceilings, first floor
<i>Setbacks:</i>	Refer to Hallen Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Board
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Provided by Developer

## **LaMarche Place**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,600      Multi-Level: 3,000
<i>Setbacks:</i>	Refer to LaMarche Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood or Vinyl
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **The Maisons**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,600      Multi-Level: 3,000
<i>Setbacks:</i>	Refer to The Maisons Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Margeaux Place**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit recommended
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Margeaux Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood or Vinyl
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Mereville Place**

<i>Roof Pitch:</i>	8/12 Minimum, lower pitch roofs must be preapproved
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl – see notes.
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit recommended
<i>Minimum Square Feet:</i>	One Level: 1,800      Multi-Level: 2,400
<i>Setbacks:</i>	Refer to Mereville Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product (brick larger than Queen size must be preapproved.)
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Masonry or Metal Product
<i>Mailboxes:</i>	Neighborhood kiosk - provided by Developer

## **Mirabel Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl – see notes.
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit recommended
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Mirabel Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product (brick larger than Queen size must be preapproved.)
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood or Vinyl Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Miramar Place**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad, Approved Metal or Approved Vinyl – see notes.
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit recommended
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Miramar Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product (brick larger than Queen size must be preapproved.)
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood or Vinyl Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **The Oaks**

<i>Roof Pitch:</i>	12/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,000      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to The Oaks Bill of Assurance
<i>Siding:</i>	See: The Oaks Guidelines
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Masonry Product
<i>Dormers:</i>	Preapproved Wood, Vinyl or Metal
<i>Mailboxes:</i>	Preapproved Wood or Masonry Product Provided by Developer

## **Orle'**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,800      Multi-Level: 3,800
<i>Setbacks:</i>	Refer to Orle' Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Sezanne Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 2,200      Multi-Level: 2,600
<i>Setbacks:</i>	Refer to Sezanne Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Sologne Circle**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One-Level: 3,000      Multi-Level: 4,000
<i>Setbacks:</i>	Refer to Sologne Circle Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone

## **Talmont Place**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood clad Recommended, or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Recommended
<i>Minimum Square Feet:</i>	<i>Maximum: 2600 heated and cooled</i> One Level: 1,800      Multi-Level: 1,800
<i>Setbacks:</i>	Refer to Talmont Place Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	<i>Preapproved Wood or Vinyl Product</i>
<i>Dormers:</i>	Preapproved Wood, Masonry or Metal
<i>Mailboxes:</i>	Preapproved Mel Northy 1018A, 1018BP, 5518A, 5518B

## **Tournay Circle**

<i>Roof Pitch:</i>	8/12 Minimum
<i>Windows:</i>	Wood or Vinyl
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, Dryvit, Wood Based or Hardie Plank
<i>Minimum Square Feet:</i>	One Level: 1,800      Multi-Level: 2,200
<i>Setbacks:</i>	Refer to Tournay Circle Bill of Assurance
<i>Siding:</i>	Preapproved Wood Based Product or Masonry Product
<i>Soffit, Fascia, Frieze Board:</i>	Preapproved Wood or Vinyl Product
<i>Dormers:</i>	Preapproved Wood, Masonry, Vinyl or Metal
<i>Mailboxes:</i>	Mel Northey 1018A, 1018BP, 5518A, 5518B

## **Varenes Court (rev.)**

<i>Roof Pitch:</i>	10/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone or Dryvit Required
<i>Minimum Square Feet:</i>	One Level: 3,000      Multi-Level: 4,000 10 ft. ceilings, first floor; 9ft. ceilings, second floor
<i>Setbacks:</i>	Refer to Varenes Court Bill of Assurance
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Metal or Vinyl
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Roof Shingles:</i>	240 lb. per square Architectural Shingles or better

## **Witry Court**

<i>Roof Pitch:</i>	9/12 Minimum
<i>Windows:</i>	Wood or Wood Clad Required
<i>Chimney &amp; Fireplace Finish:</i>	Brick, Stone, or Dryvit required
<i>Minimum Square Feet:</i>	One Level: 2,600      Multi-Level: 3,200
<i>Setbacks:</i>	Refer to Witry Court Bill of Assurance
<i>Siding:</i>	Preapproved Wood or Masonry Product
<i>Soffit, Fascia &amp; Frieze Board:</i>	Preapproved Wood, Vinyl or Metal
<i>Dormers:</i>	Preapproved Wood or Masonry Product
<i>Mailboxes:</i>	Brick, Metal or Stone



***NOTE: The following applies to all neighborhoods***

- (1) All Metal Soffit, Fascia & Friezeboard shall be a minimum of .019” thickness.**
- (2) All Vinyl Soffit, Fascia & Friezeboard shall be a minimum of .042” thickness.**
- (3) On Brick Homes a Soldier Brick Course is required above all windows and doors and along horizontal frieze boards.**
- (4) Synthetic Stone is not allowed throughout development.**
- (5) Vinyl windows must have a min. of 2” wide frames and 2 1/2” wide frame with J channel. Interior grids between glass are not allowed unless pre-approved by the ACC.**
- (6) Texas or Western king size brick or larger brick not allowed unless preapproved.**
- (7) Vertical siding is not allowed on porch beams or on headers.**

**Appendix B (2023)**

**CHENAL VALLEY  
ARCHITECTURAL CONTROL COMMITTEE  
RESIDENTIAL APPLICATION**

To: Chenal Valley Architectural  
Control Committee  
7 Chenal Club Blvd.  
Little Rock, AR 72223

Date Submitted: \_\_\_\_\_

Lot # \_\_\_\_\_ Block # \_\_\_\_\_

Neighborhood: \_\_\_\_\_

Street Address: \_\_\_\_\_

Lot Owner: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone: (C) \_\_\_\_\_ (O) \_\_\_\_\_

**Email Address:** \_\_\_\_\_

Proposed Builder: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone: (C) \_\_\_\_\_ (O) \_\_\_\_\_

Email Address: \_\_\_\_\_

New Construction: \_\_\_\_\_ Remodeling/Addition: \_\_\_\_\_

This submission is for final approval of: (See Checklist provided)

\_\_\_\_\_ Site Plans \_\_\_\_\_ House Plans \_\_\_\_\_ Landscape Plan

Style Description: \_\_\_\_\_

Expected Start Date/Completion Date: \_\_\_\_\_

Setbacks in Feet (facing from street):

Front: \_\_\_\_\_ Rear: \_\_\_\_\_ Left: \_\_\_\_\_ Right: \_\_\_\_\_

1. Sq. Ft. Per Floor:            1st \_\_\_\_\_ 2nd \_\_\_\_\_ 3rd \_\_\_\_\_

Heated & Cooled Square Feet: \_\_\_\_\_

Total Square Feet: \_\_\_\_\_

2. Unfinished Location(s): \_\_\_\_\_

3. Decks/Patio: \_\_\_\_\_

4. Extra Features: \_\_\_\_\_

5. Exterior Materials Specifications:

	Color	Manufacturer/product
Exterior Walls:	_____	_____
Roof:	_____	_____
Windows\Glass:	_____	_____
Doors:	_____	_____
Chimney:	_____	_____
Soffit/Fascia and Friezeboard:	_____	_____
Dormers:	_____	_____
Other:	_____	_____

6. Landscape Specifications: (Attach Landscape Plans) **Must be submitted before installation**

Color	Materials
Fences: _____	_____
Retaining Walls: _____	_____
Driveways: _____	_____
Other: _____	_____
Plants/Trees: _____	_____
Swimming Pools: _____	_____

I (we) certify that I (we) have reviewed the Chenal Valley Covenants and the Development Standards, and I (we) agree not to make any changes in exterior plans and colors submitted or to make any exterior additions without written permission from the Architectural Control Committee.

Owner/Developer: _____	Date: _____
Print: _____	
Contractor: _____	Date: _____

**Appendix C**  
**Checklist for Plan Approval Chenal Valley**

1. Site Plan/ Plot Plan (by Registered Surveyor)
  - Building Setbacks
  - Driveways
  - House w/finished floor elevation
  - Easements
  - Drainage Paths - Existing and Proposed
  - Proposed Walls, Fences, Buildings, Etc.
  - Existing Elevations at all Four Corners of Lot
  
2. House Plans (**2 sets of plans of 24 x 36 sheets**)
  - Floor Plans
  - Foundation Plan
  - Wall Sections
  - Roof Plan
  - Elevations - Front, Rear, Sides (Show Proposed and Existing Grades)
  
3. Landscape Plan:
  - Property Lines
  - House
  - Driveways, Walks
  - Fence (Elevation Required)
  - Shrubs (Size and Quantity)
  - Accessory Structures (Elevations Required)